



Onfinity Technologies



Onfinity DIGITAL PODIUM

→ Complete Lock-In Cabinet

→ Digital Podium:

- Built-In PC (Industrial Grade).
- State of the Art Audio system.
- Top interface of USB, VGA & HDMI for ease of use.
- Multi Touch Monitor
- Controller for easy operation.
- Complete Slide-In Locking Cover.



SMART SOLUTION FOR DELIVERING PRESENTATIONS



Easy-To-Operate

Reliable, plug & play connectivity makes the system easy-to-use.



Touch Screen Monitor

Finger/Stylus touch can be used to operate with accuracy.



Digital podium is an innovative product meant to provide the teacher, trainer or presenter with complete control over their multimedia presentations and lectures whilst maintaining eye contact with the audience. With modern and robust design, they are aesthetically built to increase the performance of the presenter and engage two-way interaction between the Presenter and the audience.

APPLICATION AREAS



CLASSROOMS



TRAINING ROOMS



AUDITORIUMS

SPECIFICATIONS

Model	DP 22 HV
Type/Mounting	Free Standing, adjustable tilt and Podium Top opens on both side, Wheel Mounted
Construction	1.6mm CRCA steel sheet, screw less chassis, polymer powder coated, all directional wheel with lock
DISPLAY	
Monitor	Highly sensitive, built-in Speaker, Touch Type Monitor
Screen Type	Color LED; Scratch resistant, antiglare & vandal resistant glass
Size	22" (53 CM)
Resolution	1920 x 1080 (Full HD)
Brightness	350 Nits
Aspect Ratio	16:9
Computer Interface	USB x 1, HDMI x 1, VGA x1
Pen Type	Battery Free Pen
Tracking Speed	200 points/sec.
Response Time	5 ms
Interactive Resolution	4000 LPI
Viewing Angle	170°(H.) 160° (V)
Touch Technology	EMR, Finger and Stylus
Reading Accuracy	+/- 0.5mm (Center)
Pen Pressure Sensitivity	2048 Levels
Console Panel Display Ports	VGA x1, HDMI, USB x1, RJ 45 x 1
Annotation Software	Features like pens, annotate, choose, draw, erase, color, shapes, sizes, text, edit, fonts, stamp, move, capture picture, video, save, rotate, undo, image gallery, print, floating keyboard and background etc.
BUILT-IN DEVICES	
Mics	Gooseneck Mic x 1 (21.5cm with XLR output, ON/OFF Switch, Light Indicating ON/OFF, Phantom Powered, Polarized Condenser, Highly directional featuring Hyper cardioids/ lobar directivity), Wireless Mic x1, collar mic x1, Receiver x 1 10 mtr range
Amplifier	50 w
Speakers	Speakers, 2 x 30 W
SYSTEM DETAILS	
Form Factor	Small Form Factor
Processor	Intel Core i3, 3.2 GHz Processor, 8 th Generation Chipset, 3 MB Cache
Memory	8 GB
HDD/Storage	1 TB
Expansion I/O	HDMI x 1, VGA x 1, USB 3.0 x 1, USB 2.0 x 2, LAN 10/100/VGA
Wi-Fi	Inbuilt
Audio	Line-Out x 1/ Line-In x 1
Keyboard and Mouse	Wireless Keyboard and Mouse provided
O/S	Windows 10 Preloaded, with 1-year Antivirus
Central Controller with Panel and Video Scalar Feature	VGA IN x2, Audio IN x2, Video IN x2
Operating Temperature	5°C - 40°C, 90% RH at 40°C
Power Supply	180 - 240V, 50Hz, AC

Dealership Enquiries Solicited

